	Application No.	Applicant(s)
Notice of Allowability	10/648,205	CHEN, TERENCE
	Examiner	Art Unit
	Bryan R. Muller	3723
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendments filed 12/19/2005</u> .		
2. The allowed claim(s) is/are 10-17.		
 3.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. ☐ Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	(PTO-413), te
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0		
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/648,205 Page 2

Art Unit: 3723

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Charles E. Baxley on 3/22/2006.
- 3. The application has been amended as follows:
 - a. The word "in" in line 12 of claim 13 has been changed to "into".
 - b. The word "after" in line 12 of claim 13 has been changed to "when".
 - c. The phrase "to the annular head" in line 13 of claim 13 has been changed to "partially within the third space".
 - d. The dependency of claim 12 has been changed so that claim 12 is now dependent on claim 11.
 - e. The phrase "and the O-ring" has been added before the word "defines" in line 3 of claim 12.
 - f. The phrase "two ends selective one of which can be engaged with the rod of related one of" in lines 2 and 3 of claim 16 as been changed to "two ends, selective one of said ends can engage the rod of a respective one of".
 - g. The phrase "in order to engage the other pawl with the annular gear" in lines 3 and 4 of claim 16 has been changed to "in order to disengage the respective pawl from the annular gear".

Art Unit: 3723

4. The following is an examiner's statement of reasons for allowance: The art of record (considered as a whole) neither anticipates nor renders obvious a ratchet wrench comprising a direction switch positioned partially in a third space in an annular head for engaging selective one of two pawls, located in a second space in the annular head, with an annular gear, the direction switch defining a recess and a spring- biased rod detent positioned on the annular head for automatic insertion into the recess when the direction switch is moved partially into the third space, thus locking the direction switch partially within the third space while allowing the rotation of the direction switch on the annular head in combination with the rest of the claimed limitations set forth in the independent claim.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bryan R. Muller whose telephone number is (571) 272-4489. The examiner can normally be reached on Monday thru Thursday and second Fridays.

Application/Control Number: 10/648,205

Art Unit: 3723

Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph J. Hail III can be reached on (571) 272-4485. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BRM 3/2/2006

Joseph J. Hail, III Supervisory Patent Examiner Technology Center 3700

Junt a. Hailas